


Features

- Vitreous china
- Elongated bowl
- Includes French Curve seat
- Includes polished chrome trip lever
- Ingenium flushing system
- 6 liter per flush
- 305 mm rough-in for S-trap
- 51 mm glazed trapway
- 273 x 229 mm water area
- 737 x 492 x 768 mm

TWO-PIECE TOILET WITH SEAT

K-11462X



Codes/Standards Applicable

Specified model meets or exceeds the following:

- ASME A112.19.2/CSA B45.1
- TIS 792-2544

Colors/Finishes

- 0: White

Accessories:

- 0: White
- CP: Polished Chrome

Specified Model

Model	Description	Color/Finished
K-11462X	Serif two-piece toilet, S-trap with French Curve seat	0
K-11462X-C	Serif two-piece toilet, S-trap with French Curve quiet close seat	0

Product Specification:

The elongated two-piece toilet shall be made of vitreous china. The toilet shall be 737 mm in length, 492 mm in width, and 768 mm in height with a 273 x 229 mm water area. Toilet shall be 305 mm rough-in for S-trap. Toilet shall have 51 mm glazed trapway. Toilet shall be 6 liter per flush with ingenium flushing system. Toilet shall include polished chrome trip lever and French Curve seat. Toilet shall be Kohler Model K-11462X-____-____.

SERIF

Technical Information


Fixture:	
Configuration	two-piece, elongated
Water per flush	6 liter
Passageway	51 mm
Water area	273 x 229 mm
Water depth from rim	152 mm
Seat post hole centers	140 mm

Included Components:	
Bowl	K-4276X
Tank	K-4608X
Tank cover	1032188
French Curve seat or French Curve quiet close seat	K-4653X or K-4713X

Installation Notes

Install this product according to the installation guide.

Dimensions are approximate.
Unit: mm




Product Diagram

คุณลักษณะ

- สุขภัณฑ์เซรามิกประเภทวิเทรียสไชน่า (Vitreous china)
- โถสุขภัณฑ์แบบหน้ายาว
- พร้อมฝารองนั่งเฟรนช์เคิร์ฟ
- พร้อมก้านกดชำระโลหะชุบโครเมียม
- ระบบชำระล้างอินจีเนียม
- ใช้น้ำในการชำระ 6 ลิตร
- ระยะจุดกึ่งกลางท่อน้ำทิ้งถึงผนัง 305 มม. สำหรับการติดตั้งท่อน้ำทิ้งลงพื้น
- ขนาดท่อน้ำ 51 มม. พร้อมเคลือบภายในท่อ
- ฝิวน้ำขนาด 273 x 229 มม.
- 737 x 492 x 768 มม.

สุขภัณฑ์สองชั้น
พร้อมฝารองนั่ง

K-11462X



มาตรฐาน

คุณสมบัติตามมาตรฐาน

- ASME A112.19.2/CSA B45.1
- มอก. 792-2544

สี/วัสดุเคลือบผิว

- 0: สีขาว

ส่วนประกอบอื่นๆ:

- 0: สีขาว
- CP: สีโครเมียม

รุ่นผลิตภัณฑ์

รุ่น	ชื่อผลิตภัณฑ์	สี/วัสดุเคลือบผิว
K-11462X	สุขภัณฑ์สองชั้นพร้อมฝารองนั่งเฟรนช์เคิร์ฟ แบบท่อน้ำทิ้งลงพื้น รุ่น เซอริฟ	0
K-11462X-C	สุขภัณฑ์สองชั้นพร้อมฝารองนั่งเฟรนช์เคิร์ฟแบบกันกระแทก แบบท่อน้ำทิ้งลงพื้น รุ่น เซอริฟ	0

ข้อมูลผลิตภัณฑ์:

สุขภัณฑ์สองชั้นแบบหน้ายาว ซึ่งผลิตจากวิเทรียสไชน่า สุขภัณฑ์มีขนาดยาว 737 มม. กว้าง 492 มม. และสูง 768 มม. มีฝิวน้ำในโถสุขภัณฑ์ขนาด 273 x 229 มม. ติดตั้งท่อน้ำทิ้งลงพื้น มีระยะจุดกึ่งกลางท่อน้ำทิ้งถึงผนัง 305 มม. ขนาดท่อน้ำทิ้ง 51 มม. พร้อมเคลือบผิวภายในท่อ สุขภัณฑ์ใช้น้ำในการชำระล้าง 6 ลิตร ด้วยระบบชำระล้างแบบอินจีเนียม สุขภัณฑ์ประกอบด้วยก้านกดชำระโลหะชุบโครเมียมและฝารองนั่งเฟรนช์เคิร์ฟ สุขภัณฑ์รุ่นนี้คือ สุขภัณฑ์โคห์เลอร์รุ่น K-11462X____-____.

ข้อมูลเฉพาะ


ลักษณะ	สุขภัณฑ์สองชั้น, หน้ำยาว
การใช้น้ำชำระล้างต่อครั้ง	6 ลิตร
ขนาดท่อน้ำทิ้ง	51 มม.
ผิวน้ำน้	273 x 229 มม.
ความลึกจากขอบโถสุขภัณฑ์ถึงผิวน้ำน้	152 มม.
ระยะห่างระหว่างรูยึดฝารองนั่ง	140 มม.

ส่วนประกอบสุขภัณฑ์	
โถสุขภัณฑ์	K-4276X
ถังพักน้ำ	K-4608X
ฝาปิดถังพักน้ำ	1032188
ฝารองนั่งเฟรนช์เคิร์ฟ หรือ ฝารองนั่งเฟรนช์เคิร์ฟแบบกันกระแทก	K-4653X หรือ K-4713X

ข้อสังเกตสำหรับการติดตั้ง

ติดตั้งอุปกรณ์โดยใช้คู่มือข้อแนะนำการติดตั้ง

ขนาดระยะแสดงค่าโดยประมาณ
หน่วย: มม.



ภาพแสดงผลิตภัณฑ์

สุขภัณฑ์สองชิ้นพร้อมฝารองนั่ง รุ่น เซอร์วิฟ

หน้า 4/4

1003575-X4-D

KOHLER®