


Features

- Vitreous china
- Elongated bowl
- Includes quiet close seat
- Wall-mount
- Wash down flushing system
- 3/6 liter per flush
- 224 mm rough-in for P-trap
- 80 mm glazed trapway
- 112 x 97 mm water area
- 586 x 372 x 426 mm

WALL-HUNG TOILET K-3594X



Codes/Standards Applicable

Specified model meets or exceeds the following:

- TIS 792-2544
- EN 997

Colors/Finishes

- 0: White

Accessories:

- 0: White
- CP: Polished Chrome

Specified Model

Model	Description	Color/Finished
K-3594X-S	Via wall-hung toilet with quiet close seat	0

Recommended Accessories		
K-9310X(K-17910X)	In-wall tank with cover plate and frame	CP
K-9311X(K-16308X)	In-wall tank with cover plate and frame	CP

Product Specification:

The elongated wall-hung toilet shall be made of vitreous china. Toilet shall be 586 mm in length, 372 mm in width, and 426 mm in height with a 112 x 97 mm water area. Toilet shall be 224 mm rough-in for P-trap with 80 mm glazed trapway. Toilet shall be 3/6 liter per flush with wash down flushing system. Toilet shall include quiet close seat. Toilet shall be Kohler Model K-3594X-S-_____.

Technical Information

Fixture:	
Configuration	Wall-mount, elongated
Water per flush	3/6 liter
Passageway	80 mm
Water area	112 x 97 mm
Water depth from rim	202 mm
Seat post hole centers	140 mm
* Designed to flush with 3/6 L of water when installed with a 3/6 lpf valve.	


Included Components:	
Quiet close seat	K-17246K-S

Installation Notes

Install this product according to the installation guide.

Dimensions are approximate.

Unit: mm




Product Diagram

คุณลักษณะ

- สุขภัณฑ์เซรามิกประเภทวิเทรียสไชน่า (Vitreous china)
- โถสุขภัณฑ์แบบหน้ายาว
- พร้อมฝารองนั่งแบบกันกระแทก
- แบบแขวนผนัง
- ระบบชำระล้างแบบวอดดาวน์
- ใช้น้ำในการชำระ 3/6 ลิตร
- ระยะจุดกึ่งกลางท่อน้ำทิ้งพื้น 224 มม. สำหรับการติดตั้งท่อน้ำทิ้งออกผนัง
- ขนาดท่อ 80 มม. พร้อมเคลือบภายในท่อ
- ฝิวน้ำหน้าขนาด 112 x 97 มม.
- 586 x 372 x 426 มม.

สุขภัณฑ์แขวนผนัง K-3594X



มาตรฐาน

คุณสมบัติตามมาตรฐาน

- มอก. 792-2544
- EN 997

สี/วัสดุเคลือบผิว

- 0: สีขาว

ส่วนประกอบอื่นๆ:

- 0: สีขาว
- CP: สีโครมเงา

รุ่นผลิตภัณฑ์

รุ่น	ชื่อผลิตภัณฑ์	สี/วัสดุเคลือบผิว
K-3594X	สุขภัณฑ์แขวนผนังพร้อมฝารองนั่งแบบกันกระแทก รุ่น เวีย	0

แนะนำใช้ร่วมกับผลิตภัณฑ์รุ่น		
K-9310X (K-17910X)	ถังพักน้ำฝังผนังพร้อมแป้นกดชำระด้านหน้าและเฟรมติดตั้ง	CP
K-9311X (K-16308X)	ถังพักน้ำฝังผนังพร้อมแป้นกดชำระด้านหน้าและเฟรมติดตั้ง	CP

ข้อมูลผลิตภัณฑ์:

สุขภัณฑ์แขวนผนังแบบหน้ายาวผลิตจากวิเทรียสไชน่า สุขภัณฑ์มีขนาดยาว 586 มม. กว้าง 372 มม. และสูง 426 มม. มีฝิวน้ำหน้าโถสุขภัณฑ์ขนาด 112 x 97 มม. ติดตั้งท่อน้ำทิ้งแบบลงพื้นโดยมีระยะจุดกึ่งกลางท่อน้ำทิ้งถึงพื้น 224 มม. ขนาดท่อน้ำทิ้ง 80 มม. พร้อมเคลือบภายในท่อ สุขภัณฑ์ใช้น้ำในการชำระล้าง 3/6 ลิตร ด้วยระบบวอดดาวน์ สุขภัณฑ์พร้อมฝารองนั่งแบบกันกระแทก สุขภัณฑ์รุ่นนี้คือ สุขภัณฑ์โคห์เลอร์ รุ่น K-3594X-S-_____.

เวีย

ข้อมูลเฉพาะ


สุขภัณฑ์	
ลักษณะ	สุขภัณฑ์แขวนผนัง, ให้น้ำยาว
การใช้น้ำชำระล้างต่อครั้ง	3/6 ลิตร
ขนาดท่อน้ำทิ้ง	80 มม.
ผิวหน้าน้ำ	112 x 97 มม.
ความลึกจากขอบโถสุขภัณฑ์ถึงผิวหน้าน้ำ	202 มม.
ระยะห่างระหว่างรูยึดฝารองนั่ง	140 มม.
* สุขภัณฑ์ถูกออกแบบมาให้ใช้น้ำชำระล้าง 3/6 ลิตร เมื่อติดตั้งกับวาล์ว 3/6 ลิตร	

ส่วนประกอบสุขภัณฑ์	
ฝารองนั่งแบบกันกระแทก	K-17246K-S

ข้อสังเกตสำหรับการติดตั้ง

ติดตั้งสุขภัณฑ์โดยใช้คู่มือข้อแนะนำการติดตั้ง

ขนาดระยะแสดงค่าโดยประมาณ
หน่วย: มม.



ภาพแสดงผลิตภัณฑ์